WO 2004/087087 PCT/EP2004/002849

- 12 -

## **CLAIMS**

1. Process for the manufacture of an oral composition, said oral composition comprising from 5 to 60% by weight calcium carbonate as abrasive, said method characterised by the preparation of a slurry which comprises substantially all of the ingredients present in said oral composition followed by the addition of a thickening mixture to form said oral composition.

10

15

5

- 2. Process according to claim 1, wherein the thickening mixture comprises a polymeric thickening mixture selected from carboxyl methyl cellulose, sodium carboxymethylcellulose, hydroxyethyl carboxymethylcellulose, carrageenin, gum tragacanth, xanthan gum, guar gum, alginates, bentonite and other natural clays and synthetic inorganic clays.
- Process according to any preceding claim, wherein the
  thickening mixture comprises flavour at from 0.001 to
  by weight of the final composition.
  - 4. Process according to any preceding claim, wherein the thickening mixture comprises surfactant.

25

- 5. Process according to any preceding claim, wherein the thickening mixture comprises a fluoride ion source.
- 6. Process according to any preceding claim, wherein the thickening mixture comprises from 0.1 to 20% by weight

WO 2004/087087 PCT/EP2004/002849

- 13 -

of the oral composition.

5

15

- 7. Process according to any preceding claim, wherein the slurry comprises an aqueous suspension of calcium carbonate.
- 8. Process according to any preceding claim, wherein the slurry comprises a humectant.
- 10 9. Process according to any preceding claim, wherein the slurry comprises a thickening silica.
  - 10. Process according to any preceding claim, wherein the slurry comprises dispersant.
  - 11. Process according to any preceding claim, wherein the slurry comprises a fluoride ion source.
- 12. Process according to any preceding claim, wherein the slurry is prepared by adding calcium carbonate to a water/humectant mixture.
- 13. A continuous process for the manufacture of an oral composition, said method characterised by the following steps:
  - (a) preparation of an aqueous suspension of calcium carbonate;

WO 2004/087087 PCT/EP2004/002849

- 14 -

- (b) optional addition of further ingredients to said suspension;
- (c) optional de-aeration of said suspension;

5

- (d) addition of thickening mixture;
- (e) mixing of said suspension and thickening mixture;
- 10 (f) standing for from 30 seconds to 10 minutes or for long enough for the thickening mixture to hydrate;
  - (g) mixing for from 30 seconds to 10 minutes.